

HPD UNIQUE IDENTIFIER: 26333

CLASSIFICATION: 12 24 13 Roller Window Shades

PRODUCT DESCRIPTION: Mermet PVC Coated Fiberglass textiles. This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold Level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PVC COATED FIBERGLASS FABRIC [FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK POLYVINYL CHLORIDE (PVC) LT-P1 | RES 1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR LT-UNK BARIUM ZINC COMPLEX NoGS ANTIMONY TRIOXIDE BM-1 | MUL | CAN BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED PIGMENTS) BM-3dg 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END POLYDIMETHYLSILOXANES LT-P1 | PBT]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

One or more of the substances inventoried were not disclosed by name or identifier due to proprietary compositions from suppliers. Only SDS level disclosure was available.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Other: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2021-10-26

PUBLISHED DATE: 2021-10-26

EXPIRY DATE: 2024-10-26

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PVC COATED FIBERGLASS FABRIC

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No evidence of residuals and impurities was identified by any supplier or found in our manufacturing process. Therefore residuals and impurities were not considered.

OTHER PRODUCT NOTES: This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in composition. No alternate supplier or materials are applicable for this product.

FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤ 18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-26 19:01:48

%: 36.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Continuous filament fibrous glass

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-26 19:01:48

%: 36.0000 - 40.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Polymer Coating. This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

The PVC is fused in the final PVC coated fiberglass fabric. Any asthmagen health risks that are associated with the raw powder form of the substance are not applicable to this product and are based on contact with the powder form during manufacturing.

1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR

ID: 68515-45-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-26 19:01:49

%: 10.0000 - 20.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is solely composed of Dinonyl Phthalate, also known as L9P. This substance does not contain Diisononyl Phthalate, commonly referred to as DINP. Dinonyl Phthalate (L9P) is not identified as hazardous on any regulatory list (e.g. Prop 65). Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

BARIUM ZINC COMPLEX

ID: **Not registered**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-26 19:01:49**

#: **1.0000 - 3.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Heat Stabilizer.

Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

This substances was not disclosed due to proprietary compositions from suppliers. Only SDS level disclosure was available.

ANTIMONY TRIOXIDE

ID: **1309-64-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-26 19:01:50**

#: **0.6000 - 1.1000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: The Antimony Trioxide flame retardant is bonded with the coating. All associated health risks are based on contact with the powder form during manufacture of the raw ingredient and do not indicate health risks associated with contact of the final product.

BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED PIGMENTS)

ID: **6422-86-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-26 19:01:50**

#: **0.5000 - 3.0000** GS: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance covers the range of all pigments used every PVC Coated Fiberglass Fabric product. All pigments are disersed in DOTP (CAS # 6422-86-2). CAS # 1314-98-3 is an example of a white pigment. All pigments are non-hazardous and are compliant with REACH, Red List, and Prop 65 programs.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-26 19:01:51**%: **0.3000 - 0.9000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: In the final product, this plasticizer is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

POLYDIMETHYLSILOXANES

ID: 63148-62-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-26 19:01:51**%: **0.3000 - 0.8000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES: In the final product, this lubricant is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2008-01-10	EXPIRY DATE: 2021-05-16	CERTIFIER OR LAB: GreenGuard Environmental Institute
APPLICABLE FACILITIES: All Facilities			
CERTIFICATE URL: https://spot.ul.com/main-app/products/catalog/?keywords=mermet+usa&filter=Manufacturer%2520%252F%2520Brands:Mermet%2520USA			
CERTIFICATION AND COMPLIANCE NOTES:			
OTHER	ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2015-12-01	EXPIRY DATE:	CERTIFIER OR LAB: St. Louis Testing Laboratories
APPLICABLE FACILITIES: All Facilities			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Health hazards and screenings completed by the HPDC Online Builder tool.

This HPD covers all styles of Mermet PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of weave patterns, openness factors, and colors using the material covered in this HPD.

MANUFACTURER INFORMATION

MANUFACTURER: Mermet Corporation
ADDRESS: 5970 N Main Street
 Cowpens South Carolina 29330, United States
WEBSITE: www.MermetUSA.com

CONTACT NAME: Nathan Wintermute
TITLE: Product & Testing Engineer
PHONE: 8644635439
EMAIL: nathan.wintermute@MermetUSA.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.