# Vizela<sup>™</sup> by Mermet Corporation

## Health Product Declaration v2.2 created via: HPDC Online Builder

## HPD UNIQUE IDENTIFIER: 26643

CLASSIFICATION: 12 24 13 Roller Window Shades

PRODUCT DESCRIPTION: Mermet's Vizela<sup>™</sup> is a translucent option of solar protection for areas requiring a semi-private feel. This light filtering fabric can help modulate light and privacy as needed. Vizela is offered in a less than 1% openness with more than 99% UV blockage and 100% glow to preserve privacy while also contributing natural daylight. Vizela is available in 5 colors and comes in a 94.5" width. Product specs: composition 100% woven fiberglass/EVA coating; PVC-free and Halogen-free. The fabric meets fire classifications NFPA 701-99 TM#1, California U.S. Title 19. Vizela is also RoHS compliant.

# Section 1: Summary

### CONTENT INVENTORY

- Inventory Reporting Format
- O Nested Materials Method
- Basic Method

Threshold Disclosed Per

MaterialProduct

Threshold Level • 100 ppm • 1,000 ppm • Per GHS SDS • Other

- Residuals/Impurities
- Partially Considered
  Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

# **Basic Method / Product Threshold**

 All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC O Yes O No

 % weight and role provided for all substances.

 Screened
 O Yes Ex/SC O Yes O No

 One or more substances not screened using Priority

 Hazard Lists with results disclosed and/ or one or more

 Special Condition did not follow guidance.

 Identified
 O Yes Ex/SC O Yes O No

 One or more substances not disclosed by Name

 (Specific or Generic) and Identifier and/ or one or more

 Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

VIZELA™ [ FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK | MUL ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK ACRYLIC Not Screened AMMONIUM POLYPHOSPHATE BM-3 ]

## VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

## INVENTORY AND SCREENING NOTES:

One or more of the substances inventoried were not disclosed by name or identifier due to proprietary compositions from suppliers. Only SDS level disclosure was available.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified Other: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

## CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

○ Yes○ No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2021-11-30 PUBLISHED DATE: 2021-11-30 EXPIRY DATE: 2024-11-30 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

### **VIZELA**™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No evidence of residuals and impurities was identified by any supplier or found in the manufacturing process. Therefore residuals and impurities were not considered.

OTHER PRODUCT NOTES: No alternate supplier or materials are applicable for this product.

HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD S	CREENING D	ATE:	2021-11-30 1	19:36:26
%: 83.0000	GS: LT-UNK	RC: None	NANO: No	SUBS	TANCE ROL	E: Textile compone
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS			
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant				
SUBSTANCE NOTES: Continu	uous filament fibrous glass					
ETHYLENE VINYL ACETATE P	OLYMER (EVA)					ID: 24937-78
HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD S	CREENING D	ATE:	2021-11-30 1	19:36:27
%: 7.0000	GS: LT-UNK	RC: None	NANO: N	lo	SUBSTANC	E ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS			
None found			No warn	ings fo	ound on HPD	Priority Hazard List
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE	ne-vinyl acetate co-polymer varnish. Includes ne (CAS# 2682-20-4) which provide anti-micr they are not present on finished fabric. Is not	obial and ant	i-fungal prop	erties.	These 2 com	pounds are volatile 272/1008 and EU
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE	ne (CAS# 2682-20-4) which provide anti-micro they are not present on finished fabric. Is not	obial and ant a dangerous	i-fungal prop s substance -	erties. confo	These 2 com rms to rule: 1	pounds are volatile 272/1008 and EU ID: Undisclose
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE ACRYLIC HAZARD SCREENING METHOR	ne (CAS# 2682-20-4) which provide anti-micr	obial and ant a dangerous	i-fungal prop s substance -	erties. confo ATE:	These 2 com rms to rule: 1 Not Screene	pounds are volatile 272/1008 and EU ID: Undisclose
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE ACRYLIC	ne (CAS# 2682-20-4) which provide anti-micro they are not present on finished fabric. Is not D: Pharos Chemical and Materials Library	A dangerous HAZARD S RC: None	i-fungal prop s substance - CREENING D	erties. confo ATE:	These 2 com rms to rule: 1 Not Screene	272/1008 and EU ID: Undisclose
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE ACRYLIC HAZARD SCREENING METHOR %: 5.0000	ne (CAS# 2682-20-4) which provide anti-micro they are not present on finished fabric. Is not D: Pharos Chemical and Materials Library S: Not Screened	A dangerous HAZARD S RC: None	i-fungal prop s substance - CREENING D NANO: I	erties. confo ATE:	These 2 com rms to rule: 1 Not Screene	272/1008 and EU ID: Undisclose
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE ACRYLIC HAZARD SCREENING METHOR %: 5.0000	ne (CAS# 2682-20-4) which provide anti-micro they are not present on finished fabric. Is not D: Pharos Chemical and Materials Library S: Not Screened AGENCY AND LIST TITLES Hazard Screening not performed	A dangerous HAZARD S RC: None	i-fungal prop s substance - CREENING D NANO: I	erties. confo ATE:	These 2 com rms to rule: 1 Not Screene	272/1008 and EU ID: Undisclose
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE ACRYLIC HAZARD SCREENING METHOR %: 5.0000 G HAZARD TYPE SUBSTANCE NOTES: Organia	ne (CAS# 2682-20-4) which provide anti-micro they are not present on finished fabric. Is not D: Pharos Chemical and Materials Library S: Not Screened AGENCY AND LIST TITLES Hazard Screening not performed c pigment solution.	A dangerous HAZARD S RC: None	i-fungal prop s substance - CREENING D NANO: I	erties. confo ATE:	These 2 com rms to rule: 1 Not Screene	ID: Undisclose
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE ACRYLIC HAZARD SCREENING METHOR %: 5.0000 G HAZARD TYPE SUBSTANCE NOTES: Organic	ne (CAS# 2682-20-4) which provide anti-micro they are not present on finished fabric. Is not D: Pharos Chemical and Materials Library S: Not Screened AGENCY AND LIST TITLES Hazard Screening not performed c pigment solution.	obial and ant a dangerous HAZARD S RC: None WAF	i-fungal prop s substance - CREENING D NANO: I	erties. confo ATE: No	These 2 com rms to rule: 1 Not Screene SUBSTAN	ID: Undisclose CE ROLE: Dye
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE ACRYLIC HAZARD SCREENING METHOR %: 5.0000 G HAZARD TYPE SUBSTANCE NOTES: Organic	ne (CAS# 2682-20-4) which provide anti-micro they are not present on finished fabric. Is not D: Pharos Chemical and Materials Library S: Not Screened AGENCY AND LIST TITLES Hazard Screening not performed c pigment solution.	obial and ant a dangerous HAZARD S RC: None WAF	i-fungal prop s substance - CREENING D NANO: I	ATE: ATE: No	These 2 com rms to rule: 1 Not Screene SUBSTAN	ID: Undisclose CE ROLE: Dye
03-0) and methylisothiazolino and evaporate during drying, 67/548/CEE on 1999/45/CE ACRYLIC HAZARD SCREENING METHOL 6: 5.0000 G HAZARD TYPE SUBSTANCE NOTES: Organic MMONIUM POLYPHOSPHAT	ne (CAS# 2682-20-4) which provide anti-micro they are not present on finished fabric. Is not D: Pharos Chemical and Materials Library S: Not Screened AGENCY AND LIST TITLES Hazard Screening not performed c pigment solution.	HAZARD S RC: None WAF	i-fungal prop s substance - CREENING D NANO: I RNINGS	ATE: ATE: No	These 2 com rms to rule: 1 Not Screene SUBSTAN	ID: Undisclose CE ROLE: Dye ID: 68333-79

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gol	UL/GreenGuard Gold Certified				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://spot.ul.com/main- app/products/detail/5ad1e93255b0e82d946a1e6b? keywords=mermet%2Busa&page_type=Products%20Ca CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2008- 06-03 atalog	EXPIRY DATE: 2021- 05-16	CERTIFIER OR LAB: GreenGuard Environmental Institute			
OTHER	ROHS 2-2011/65/EU Re	OHS 2-2011/65/EU Restriction of Hazardous Substances Directive				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2016-06- 28	EXPIRY DATE:	CERTIFIER OR LAB: St. Louis Testing Laboratories			
CEDTIEICATION AND COMPLIANCE NOTES.						

CERTIFICATION AND COMPLIANCE NOTES:

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Health hazards and screenings completed by the HPDC Online Builder tool.

### MANUFACTURER INFORMATION

MANUFACTURER: Mermet Corporation ADDRESS: 5970 N Main Street Cowpens South Carolina 29330, United States WEBSITE: www.MermetUSA.com

CONTACT NAME: Nathan Wintermute TITLE: Product & Testing Engineer PHONE: 8644635439 EMAIL: nathan.wintermute@MermetUSA.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.