created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 24212

CLASSIFICATION: 12 24 13 Roller Window Shades

PRODUCT DESCRIPTION: Avila Twilight™ is one of the most versatile blackout fabric collections on the market today, offering nine-room facing colors with a traditional white backing color. The fabric provides between 94% - 100% light blockage and its UV blockage is 100%. Avila Twilight is available in a width of 118 in (300 cm).

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities

C Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened ○ Yes Ex/SC ○ Yes ○ No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more

Special Condition did not follow quidance.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

AVILA TWILIGHT™ NFR [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END NON-SILICON MINERAL OIL Not Screened CARBON BLACK BM-1 | CAN ALUMINA TRIHYDRATE BM-2

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

One or more of the substances inventoried were not disclosed by name or specific identifier due to proprietary compositions from suppliers. For one or more substances a general CAS number is used to represent the substance's family. Otherwise, only SDS level disclosure was available.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

FERRIC OXIDE (OTHER PIGMENTS) BM-1 | CAN]

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listinas.

VOC emissions: UL/GreenGuard Gold Certified

Other: ROHS 2-2011/65/EU Restriction of Hazardous Substances

Directive

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-03-26 PUBLISHED DATE: 2021-03-26

EXPIRY DATE: 2024-03-26

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

AVILA TWILIGHT™ NFR

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No evidence of residuals and impurities was identified by any supplier or found in our manufacturing process. Therefore residuals and impurities were not considered.

OTHER PRODUCT NOTES: This HPD covers a range of colors for the base fabric which leads to some variation in material composition. No alternate supplier or materials are applicable for this product.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-03-26 19:34:39			
%: 38.0000 - 47.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
None found			No warr	nings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: This substance is used as the basecloth of the fabric

2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE

ID: 25133-97-5

HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	2021-03-26 19:34:40
%: 25.0000 - 40.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Acrylic	Polymer. This substance is used as a film on	the basecloth	·	

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-03-26 19:34:40
%: 5.0000 - 20.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is a filler for the film that additionally provides opacity and coloration. The substance is bonded in the final product.

NON-SILICON MINERAL OIL					ID: Unknown	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	Not Screened		
%: 0.0500 - 0.1500	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE	: Stabilizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS			
Hazard Screening not performed						
SUBSTANCE NOTES: Substance provides processing stability. Substance is proprietary.						

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 20		EENING DATE:	2021-03-26 19:34:41
%: 0.0000 - 2.0000	GS: BM-1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen			en
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic ef but not sufficient for classification			
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or experience		o chemical form or exposure	
CAN	IARC	Group 2B - Possibly carcinogenic to humans - in from occupational sources			

SUBSTANCE NOTES: Black pigment. The substance is bonded in the final product.

ALUMINA TRIHYDRATE ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-26 19:34:41

%: 0.0000 - 2.0000

GS: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Aluminum Hydrate filler

FERRIC OXIDE (OTHER PIGMENTS)

ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-03-26 19:34:42			
%: 0.0000 - 0.5000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effect but not sufficient for classification			

SUBSTANCE NOTES: Other pigments. The substance is bonded in the final product.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold C	UL/GreenGuard Gold Certified					
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1e83055b0e82d946a0f0f? keywords=avila&page_type=Products%20Catalog	ISSUE DATE: 2008-01- 10	EXPIRY DATE: 2021- 02-16	CERTIFIER OR LAB: GreenGuard Environmental Institute				
CERTIFICATION AND COMPLIANCE NOTES:							
OTHER	ROHS 2-2011/65/EU Re	ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive					
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2019-04- 18	EXPIRY DATE:	CERTIFIER OR LAB: St. Louis Testing Laboratories				



Section 4: Accessories

CERTIFICATION AND COMPLIANCE NOTES:

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Avila Twilight is a commercial blackout fabric composed of a polyester fabric with an acrylic back-coating. Mermet offers a range of colors for the base fabric, which are covered by this HPD. Health hazards and screenings completed by the HPDC Online Builder tool.

MANUFACTURER INFORMATION

MANUFACTURER: Mermet Corporation

ADDRESS: 5970 N Main Street

Cowpens South Carolina 29330, United States

WEBSITE: www.MermetUSA.com

CONTACT NAME: Nathan Wintermute TITLE: Product & Testing Engineer

PHONE: 8644635439

EMAIL: nathan.wintermute@MermetUSA.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity **GEN** Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.