E Screen Chroma[™] by Mermet Corporation

HPD UNIQUE IDENTIFIER: 20598

CLASSIFICATION: 12 24 13 Furnishings: Roller Window Shades

PRODUCT DESCRIPTION: E Screen Chroma[™] is a high performance solar shade fabric with a reflective and durable aluminum backing. The fabric can reflect up to 82% of solar radiation for optimal thermal performance. E Screen Chroma is available in five designer colors and has a classic, basketweave construction for clear viewthrough and exceptional dimensional stability.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method
- Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level

• 100 ppm

C Other

C 1,000 ppm

C Per GHS SDS

Residuals/Impurities

- C Considered C Partially Considered O Not Considered
 - Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Basic Method / Product Threshold

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified

C Yes Ex/SC C Yes C No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

E SCREEN CHROMA™ [POLYVINYL CHLORIDE (PVC) LT-P1 | RES FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK DIPROPYLHEPTYL PHTHALATE (DPHP) BM-U | CAN ANTIMONY TRIOXIDE BM-1 | CAN | MUL BARIUM ZINC COMPLEX NoGS ZINC SULFIDE LT-UNK ACRYLATE NoGS POLYDIMETHYL SILOXANE LT-P1 | PBT ALUMINUM NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

One or more of the substances inventoried were not disclosed by name or identifier due to proprietary compositions from suppliers. Only SDS level disclosure was available.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: UL/GreenGuard Gold Certified Other: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2019-04-16 PUBLISHED DATE: 2020-06-15 EXPIRY DATE: 2022-04-16

Health Product Declaration v2.2

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

PRODUCT THRESHOLD: 100 p	om RESIDUALS	and impurities considered: No	
manufacturing process	at a level greater than 100ppm. The	npurities was identified by any supplier or fou refore residuals and impurities were not cons Chroma™ which leads to some variation in co	idered.
POLYVINYL CHLORIDE (I		jt.	ID: 9002-86-2
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-04-16	
%: 40.0000 - 44.0000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Polym	er species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	
EARTH OXIDE CONTENT	BLE AND/OR WITH ALKALINE OXIDE ANI ≤18 % BY WEIGHT haros Chemical and Materials Library	D ALKALI HAZARD SCREENING DATE: 2019-04-16	ID: 65997-17-3
%: 33.0000 - 37.0000			
	GS: LT-UNK	RC: NANO: SUBSTANCE ROLE None No component	: Textile
HAZARD TYPE	GS: LI-UNK		: Textile
HAZARD TYPE		None No component	
None found		None No component	
None found	AGENCY AND LIST TITLES	None No component	
None found SUBSTANCE NOTES: Fibergla	AGENCY AND LIST TITLES	None No component	ority Hazard Lists

CANCER

AGENCY AND LIST TITLES

MAK

WARNINGS

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Plasticizer mixture

ANTIMONY TRIOXIDE ID: 1309-64-					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-04-16		
%: 2.0000 - 2.5000	GS: BM-1	RC: None	NANO: NO	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	IARC	Group 2b - Possibly carcinogenic to humans			
CANCER	CA EPA - Prop 65	Carcinogen			
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen			
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man			
CANCER	GHS - Japan	Carcinogenicity - Category 1B [H350]			

SUBSTANCE NOTES: Proprietary flame retardant system to improve the FR characteristics of the yarn. The Antimony Trioxide is bonded with the coating. Any associated health risks are based on contact with the powder form during manufacture of the raw ingredient.

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREENING DAT	E: 2019-04-16	
%: 1.9000 - 2.3000	GS: NoGS	RC: None NANO: I	O SUBSTANC	E ROLE: Heat or UV stabilizer
	AGENCY AND LIST TITLES	WARNINGS		
HAZARD TYPE				
None found SUBSTANCE NOTES: Barium Z	inc Complex used as a thermal stabilizer rom supplier. Only SDS level disclosure i			ound on HPD Priority Hazard List ot disclosed due to the
None found SUBSTANCE NOTES: Barium Z	-			-
None found SUBSTANCE NOTES: Barium Z proprietary composition f	-	is available.		ot disclosed due to the ID: 1314-98

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

None found

SUBSTANCE NOTES: Due to the large range of colors provided by Mermet, only white pigment is included in this HPD.

ACRYLATE				ıd: 10344-93-1
HAZARD SCREENING METHOD: Pharos	HAZARD SCREENING DATE: 2019-04-16			
%: 0.8000 - 1.2000	GS: NoGS	RC: None	NANO: NO	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The coating blend is not disclosed due to the proprietary composition from supplier. Only SDS level disclosure is available.

POLYDIMETHYL SILOXANE ID: 9016					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-16			
%: 0.2000 - 0.6000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Lubricant			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
PBT EC - CEPA DSL		Persistent, Bioaccumulative and inherently Toxic (PBiTH) humans	to		

SUBSTANCE NOTES: In the final product, this lubricant is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

ALUMINUM				ID: 91728-14-2
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-04-16		
%: 0.0100	GS: NoGS	RC: None	NANO: NO	SUBSTANCE ROLE: Reflectance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	ŝS	
None found			No warnin	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ultra fine layer of aluminum, vacuum bonded to one side of the fabric. The product contains <0.0001% aluminum in its composition.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard (Gold Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://spot.ul.com/main- app/products/detail/5ad1ebc855b0e82d946a6edf? page_type=Products%20Catalog	ISSUE DATE: 2015- 06-30	EXPIRY DATE: 2021- 05-16	CERTIFIER OR LAB: GreenGuard Environmental Institute
CERTIFICATION AND COMPLIANCE NOTES:			
OTHER	ROHS 2-2011/65/EU	Restriction of Haza	rdous Substances Directive
	SSUE DATE: 2019- 03-12	EXPIRY DATE:	CERTIFIER OR LAB: St. Louis Testing Laboratories
CERTIFICATION AND COMPLIANCE NOTES:			

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD covers all colors of E Screen Chroma[™] fabric. Health hazards and screenings completed by the HPDC Online Builder tool.

MANUFACTURER INFORMATION

MANUFACTURER: Mermet Corporation ADDRESS: 5970 N Main Street Cowpens South Carolina 29330, United States WEBSITE: www.MermetUSA.com CONTACT NAME: Nathan Wintermute TITLE: Product & Testing Engineer PHONE: 8644635439 EMAIL: nathan.wintermute@MermetUSA.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

- AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming
- LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.