

HPD UNIQUE IDENTIFIER: 20582

CLASSIFICATION: 12 24 13 Furnishings: Roller Window Shades

PRODUCT DESCRIPTION: Mermet PVC Coated Fiberglass textiles. This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

All Substances Above the Threshold Indicated Are:

**Characterized**  Yes Ex/SC  Yes  No

% weight and role provided for all substances.

**Screened**  Yes Ex/SC  Yes  No

All substances screened using Priority Hazard Lists with results disclosed.

**Identified**  Yes Ex/SC  Yes  No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**PVC COATED FIBERGLASS FABRIC [ FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK POLYVINYL CHLORIDE (PVC) LT-P1 | RES 1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR LT-UNK BARIUM ZINC COMPLEX NoGS ANTIMONY TRIOXIDE BM-1 | CAN | MUL BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED PIGMENTS) BM-3 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END POLYDIMETHYLSILOXANES LT-P1 | PBT ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

One or more of the substances inventoried were not disclosed by name or identifier due to proprietary compositions from suppliers. Only SDS level disclosure was available.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Other: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-04-01

PUBLISHED DATE: 2020-06-15

EXPIRY DATE: 2022-04-01



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### PVC COATED FIBERGLASS FABRIC

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No evidence of residuals and impurities was identified by any supplier or found in our manufacturing process. Therefore residuals and impurities were not considered.

OTHER PRODUCT NOTES: This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in composition.

No alternate supplier or materials are applicable for this product.

### FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-01

#: 36.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Textile component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Continuous filament fibrous glass

### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-01

#: 36.0000 - 40.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Polymer Coating. This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

The PVC is fused in the final PVC coated fiberglass fabric. Any asthmagen health risks that are associated with the raw powder form of the substance are not applicable to this product and are based on contact with the powder form during manufacturing.

**1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR**

ID: 68515-45-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-01**

#: **10.0000 - 20.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is solely composed of Dinonyl Phthalate, also known as L9P. This substance does not contain Diisononyl Phthalate, commonly referred to as DINP. Dinonyl Phthalate (L9P) is not identified as hazardous on any regulatory list (e.g. Prop 65). Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

**BARIUM ZINC COMPLEX**

ID: **Not registered**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-01**

#: **1.0000 - 3.0000**

GS: **NoGS**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Heat Stabilizer.**

Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

This substances was not disclosed due to proprietary compositions from suppliers. Only SDS level disclosure was available.

**ANTIMONY TRIOXIDE**

ID: **1309-64-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-01**

#: **0.6000 - 1.1000**

GS: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

IARC

Group 2b - Possibly carcinogenic to humans

CANCER

CA EPA - Prop 65

Carcinogen

CANCER

US NIH - Report on Carcinogens

Reasonably Anticipated to be Human Carcinogen

CANCER

EU - GHS (H-Statements)

H351 - Suspected of causing cancer

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

CANCER

GHS - Japan

Carcinogenicity - Category 1B

SUBSTANCE NOTES: The Antimony Trioxide flame retardant is bonded with the coating. All associated health risks are based on contact with the powder form during manufacture of the raw ingredient and do not indicate health risks associated with contact of the final product.

**BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED PIGMENTS)**

ID: 6422-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-01**%: **0.5000 - 3.0000**GS: **BM-3**RC: **None**NANO: **No**SUBSTANCE ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance covers the range of all pigments used every PVC Coated Fiberglass Fabric product. All pigments are dispersed in DOTP (CAS # 6422-86-2). CAS # 1314-98-3 is an example of a white pigment. All pigments are non-hazardous and are compliant with REACH, Red List, and Prop 65 programs.

**2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE**

ID: 6846-50-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-01**%: **0.3000 - 0.9000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: In the final product, this plasticizer is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

**POLYDIMETHYLSILOXANES**

ID: 63148-62-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-01**%: **0.3000 - 0.8000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

PBT

EC - CEPA DSL

Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES: In the final product, this lubricant is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

**UL/GreenGuard Gold  
Certified**

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All Facilities**

CERTIFICATE URL: <https://spot.ul.com/main-app/products/catalog/?>

keywords=**mermet+usa&filter=Manufacturer%2520%252F%2520Brands:Mermet%2520USA**

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
<b>2008-01-10</b>	<b>2021-05-16</b>	<b>GreenGuard Environmental Institute</b>

CERTIFICATION AND COMPLIANCE NOTES:

### OTHER

**ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive**

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All Facilities**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: **2015-12-01**      EXPIRY DATE:

CERTIFIER OR LAB: **St. Louis Testing Laboratories**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Health hazards and screenings completed by the HPDC Online Builder tool. This HPD covers all styles of Mermet PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of weave patterns, openness factors, and colors using the material covered in this HPD.



## MANUFACTURER INFORMATION

MANUFACTURER: **Mermet Corporation**  
 ADDRESS: **5970 N Main Street**  
**Cowpens South Carolina 29330, United States**  
 WEBSITE: **www.MermetUSA.com**

CONTACT NAME: **Nathan Wintermute**  
 TITLE: **Product & Testing Engineer**  
 PHONE: **8644635439**  
 EMAIL: **nathan.wintermute@MermetUSA.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

### Recycled Types

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*